



ELFAMAK
• AHŞAP İŞLEME MAKİNELERİ •

www.elfamak.com.tr

OUR BRANDS

ELFATEK
• ELEKTRONİK •

www.elfatek.com.tr



Crane Radio Remote Control Systems,
Siren Lights, Overload Systems
and 3D Printer

ELFATEK
ELFASOFT
friction
CORAXIS



www.sirex.com.tr

ANKBOT
www.ankebot.com

ELFAMAK
• AHŞAP İŞLEME MAKİNELERİ •

www.elfamak.com.tr



Cnc Routers,
Cnc Milling Production and
Wood Working Machines

ELFAMAK
TORRO
DoorFRAME
CONVEYOR
DoorMATIC
DoorMATIC Plus

VENOM
ALTOR
DoorPRESS
FramePRESS

**ELFA
KALIP**

www.elfakalip.com



Plastic Injection,
Mould Production

Plastic Modular
Drawer System,
Rotating Drawer System
and Drawer Cabinet



www.kapelplastik.com

elfaEXPORT

www.elfaexport.com




Import and
Export Services

elfaEXPORT

ABOUT ELFAMAK MAKİNA

ELFAMAK MAKİNA has established to produce high technologic machines in 2012. It maintains its production and R&D studies by using ultimate innovation of technology with professional engineers and montage team in the area of total 9000 m² modern factory which is 6000 m² close area and 3000 m² open area.

ELFAMAK MAKİNA continues its way to be an initiator of the sector with awareness of quality raw material, quality product, and professional team for own work.



VENOM

ELFAMAK
• AĞAÇ İŞLEME MAKİNELERİ •

www.elfamak.com.tr






Control Panel (Siemens)



Tool Magazine (14 pieces)




Automatic Sizing Of Tool



Hand Wheel



Safety Impact Sensor



Automatic Sweeping and Plate Transferring

SPECIFICATIONS	1428 SERIES	2128 SERIES	2137 SERIES	2142 SERIES
Net Working Area	1400x2800x250 mm	2100x2800x250 mm	2100x3700x250 mm	2100x4200x250 mm
Chassis Type	Iron Profile Chassis	Iron Profile Chassis	Iron Profile Chassis	Iron Profile Chassis
Body Type	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body
Spindle RPM	3000-24000 rpm	3000-24000 rpm	3000-24000 rpm	3000-24000 rpm
Spindle Motor	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw
Servo Motion Motors	Siemens	Siemens	Siemens	Siemens
Servo Drivers	Siemens	Siemens	Siemens	Siemens
Gearboxes	Servo Gearbox Without Space	Servo Gearbox Without Space	Servo Gearbox Without Space	Servo Gearbox Without Space
X and Y Axis Mechanical Parts	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear
Z Axis Mechanical Parts	Linear Guide, Ball Screw	Linear Guide, Ball Screw	Linear Guide, Ball Screw	Linear Guide, Ball Screw
CNC Control System	Siemens	Siemens	Siemens	Siemens
Table Type	4 Area Control With Vacuum (Aluminium Table)	8 Area Control With Vacuum (Aluminium Table)	8 Area Control With Vacuum (Aluminium Table)	8 Area Control With Vacuum (Aluminium Table)
Vacuum Pump	100 cubic meter	250 cubic meter	250 cubic meter	250 cubic meter
Repeatable Programme Sensitivity	0.01 mm	0.01 mm	0.01 mm	0.01 mm
Panel	Industrial Type Box	Industrial Type Box	Industrial Type Box	Industrial Type Box
Tool Holder Type	DIN 69893 Norm ER40	DIN 69893 Norm ER40	DIN 69893 Norm ER40	DIN 69893 Norm ER40
Tool Holder Cone	HSK F63	HSK F63	HSK F63	HSK F63
Working Code System	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code
Safety System	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic
Electrical Hardware	CE Norms	CE Norms	CE Norms	CE Norms
Automatic Tool Changer	10 Pieces	14 Pieces	14 Pieces	14 Pieces
Radio Remote Control System	Standard	Standard	Standard	Standard
Lubrication System	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication
Piston Fixed Reference Point	Standard 5 Pieces	Standard 7 Pieces	Standard 7 Pieces	Standard 7 Pieces
Automatic Tool Reset	Standard	Standard	Standard	Standard
Safety Impact Sensor	Standard	Standard	Standard	Standard
Automatic Sweeping and Plate Transfer	Standard	Standard	Standard	Standard
Tool Holder Dust Protection System	Standard	Standard	Standard	Standard
Multiple Hole Unit	Optional	Optional	Optional	Optional
Pneumatic Vacuum Zone Control	Standard	Standard	Standard	Standard

TORRO

ELFAMAK
• AĞAÇ İŞLEME MAKİNELERİ •

www.elfamak.com.tr





Control Panel (Siemens)



Tool Magazine (14 pieces)



Automatic Sizing Of Tool



Hand Wheel



**Safety Impact Sensor
(Optional)**



**Automatic Sweeping and Plate Transferring
(Optional)**

SPECIFICATIONS	1428 SERIES	2128 SERIES	2137 SERIES	2142 SERIES
Net Working Area	1400x2800x250 mm	2100x2800x250 mm	2100x3700x250 mm	2100x4200x250 mm
Chassis Type	Iron Profile Chassis	Iron Profile Chassis	Iron Profile Chassis	Iron Profile Chassis
Body Type	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body
Spindle RPM	24000 rpm	24000 rpm	24000 rpm	24000 rpm
Spindle Motor	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw
Servo Motion Motors	Siemens	Siemens	Siemens	Siemens
Servo Drivers	Siemens	Siemens	Siemens	Siemens
Gearboxes	Servo Gearbox Without Space	Servo Gearbox Without Space	Servo Gearbox Without Space	Servo Gearbox Without Space
X and Y Axis Mechanical Parts	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear
Z Axis Mechanical Parts	Linear Guide, Ball Screw	Linear Guide, Ball Screw	Linear Guide, Ball Screw	Linear Guide, Ball Screw
CNC Control System	Siemens	Siemens	Siemens	Siemens
Table Type	4 Area Control With Vacuum (Aluminium Table)	8 Area Control With Vacuum (Aluminium Table)	8 Area Control With Vacuum (Aluminium Table)	8 Area Control With Vacuum (Aluminium Table)
Vacuum Pump	100 cubic meter	250 cubic meter	250 cubic meter	250 cubic meter
Repeatable Programme Sensitivity	0.01 mm	0.01 mm	0.01 mm	0.01 mm
Panel	Industrial Type Box	Industrial Type Box	Industrial Type Box	Industrial Type Box
Tool Holder Type	DIN 69893 Norm ER40	DIN 69893 Norm ER40	DIN 69893 Norm ER40	DIN 69893 Norm ER40
Tool Holder Cone	HSK F63	HSK F63	HSK F63	HSK F63
Working Code System	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code
Safety System	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic
Electrical Hardware	CE Norms	CE Norms	CE Norms	CE Norms
Automatic Tool Changer	10 Pieces	14 Pieces	14 Pieces	14 Pieces
Lubrication System	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication
Piston Fixed Reference Point	Standard 5 Pieces	Standard 7 Pieces	Standard 7 Pieces	Standard 7 Pieces
Automatic Tool Reset	Standard	Standard	Standard	Standard
Tool Holder Dust Protection System	Standard	Standard	Standard	Standard
Automatic Sweeping and Plate Transfer	Optional	Optional	Optional	Optional
Safety Impact Sensor	Optional	Optional	Optional	Optional
Multiple Hole Unit	Optional	Optional	Optional	Optional
Radio Remote Control System	Optional	Optional	Optional	Optional
Pneumatic Vacuum Zone Control	Optional	Optional	Optional	Optional

ASTRO


ELFAMAK
• AĞAÇ İŞLEME MAKİNELERİ •

www.elfamak.com.tr





Control Panel (DELTA / LNC)



Tool Magazine (12 pieces)




Automatic Sizing Of Tool



Hand Wheel



**Safety Impact Sensor
(Optional)**



**Automatic Sweeping
and Plate Transferring (Optional)**

SPECIFICATIONS	1428 SERIES	2128 SERIES	2137 SERIES	2142 SERIES
Net Working Area	1400x2800x250 mm	2100x2800x250 mm	2100x3700x250 mm	2100x4200x250 mm
Chassis Type	Iron Profile Chassis	Iron Profile Chassis	Iron Profile Chassis	Iron Profile Chassis
Body Type	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body
Spindle RPM	24000 rpm	24000 rpm	24000 rpm	24000 rpm
Spindle Motor	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw	Hsd / Hiteco 9 - 12 Kw
Motion Motors	Delta / Yaskawa Servo Motors	Delta / Yaskawa Servo Motors	Delta / Yaskawa Servo Motors	Delta / Yaskawa Servo Motors
Servo Drivers	Delta / Yaskawa Servo Driver	Delta / Yaskawa Servo Driver	Delta / Yaskawa Servo Driver	Delta / Yaskawa Servo Driver
Gearboxes	Servo Gearbox Without Space	Servo Gearbox Without Space	Servo Gearbox Without Space	Servo Gearbox Without Space
X and Y Axis Mechanical Parts	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear
Z Axis Mechanical Parts	Linear Guide, Ball Screw	Linear Guide, Ball Screw	Linear Guide, Ball Screw	Linear Guide, Ball Screw
CNC Control System	Delta / Lnc	Delta / Lnc	Delta / Lnc	Delta / Lnc
Table Type	4 Area Control With Vacuum (Aluminium Table)	5 Area Control With Vacuum (Aluminium Table)	5 Area Control With Vacuum (Aluminium Table)	5 Area Control With Vacuum (Aluminium Table)
Vacuum Pump	100 cubic meter	305 cubic meter	305 cubic meter	305 cubic meter
Programme Sensitivity	Automatic	Automatic	Automatic	Automatic
Panel	Industrial Type Box	Industrial Type Box	Industrial Type Box	Industrial Type Box
Tool Holder Type	DIN 69893 Norm ER40	DIN 69893 Norm ER40	DIN 69893 Norm ER40	DIN 69893 Norm ER40
Tool Holder Cone	HSK F63	HSK F63	HSK F63	HSK F63
Working Code System	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code
Safety System	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic
Electrical Hardware	CE Norms	CE Norms	CE Norms	CE Norms
Automatic Tool Changer	10 Pieces	12 Pieces	12 Pieces	12 Pieces
Lubrication System	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication
Piston Fixed Reference Point	Standard 3 Pieces	Standard 5 Pieces	Standard 5 Pieces	Standard 5 Pieces
Automatic Tool Reset	Standard	Standard	Standard	Standard
Automatic Sweeping and Plate Transfer	Optional	Optional	Optional	Optional
Safety Impact Sensor	Optional	Optional	Optional	Optional
Radio Remote Control System	Optional	Optional	Optional	Optional
Multiple Hole Unit	-	-	-	-
Tool Holder Dust Protection System	-	-	-	-
Pneumatic Vacuum Zone Control	Optional	Optional	Optional	Optional

QUADRO

ELFAMAK
• AĞAÇ İŞLEME MAKİNELERİ •

www.elfamak.com.tr





Control Panel (PC)



SPECIFICATIONS	1428 SERIES	2128 SERIES	2137 SERIES	2142 SERIES
Net Working Area	1400x2800x250 mm	2100x2800x250 mm	2100x3700x250 mm	2100x4200x250 mm
Chassis Type	Square Iron Profile Chassis	Square Iron Profile Chassis	Square Iron Profile Chassis	Square Iron Profile Chassis
Body Type	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body
Spindle Motor	Hsd / Arel / Hiteco	Hsd / Arel / Hiteco	Hsd / Arel / Hiteco	Hsd / Arel / Hiteco
Spindle Motor Power	2.2/5 Kw	2.2/5 Kw	2.2/5 Kw	2.2/5 Kw
Spindle RPM	24000-18000 rpm	24000-18000 rpm	24000-18000 rpm	24000-18000 rpm
Speed Control	2.2/5Kw	2.2/5Kw	2.2/5Kw	2.2/5Kw
Motion Motors	Servo Motor	Servo Motor	Servo Motor	Servo Motor
X and Y Axis Mechanical Parts	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear	Linear Rail, Helical Rack Gear
Z Axis Mechanical Parts	Linear Rail, Ball Screw	Linear Rail, Ball Screw	Linear Rail, Ball Screw	Linear Rail, Ball Screw
CNC Control System	Radonix Cam Pro / Mach3	Radonix Cam Pro / Mach3	Radonix Cam Pro / Mach3	Radonix Cam Pro / Mach3
Table Type	Compact Table	Compact Table	Compact Table	Compact Table
Programme Sensitivity	0.01 mm	0.01 mm	0.01 mm	0.01 mm
Cooling Sytem	Automatic Micro Injection	Automatic Micro Injection	Automatic Micro Injection	Automatic Micro Injection
Panel	Industrial Type Box	Industrial Type Box	Industrial Type Box	Industrial Type Box
Tool Holder Type	ER25/ER32	ER25/ER32	ER25/ER32	ER25/ER32
Working Code System	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code
Safety System	Electronic Sensor, EMG, Mechanic	Electronic Sensor, EMG, Mechanic	Electronic Sensor, EMG, Mechanic	Electronic Sensor, EMG, Mechanic
Operating System	Windows	Windows	Windows	Windows
Electrical Hardware	CE Norms	CE Norms	CE Norms	CE Norms

DoorMATIC Plus

ELFAMAK
• AHŞAP İŞLEME MAKİNELERİ •

www.elfamak.com.tr




www.elfamak.com.tr



Sensitive Positioning With Servo Motor



Handle and Lock Machine (optional)



Cleaning Knob



Performance Series Circle Saws



Automatic Lubrication On 81 Spot



Width and Length Fixed Pistons

SPECIFICATIONS	DOUBLE TABLE
Machine Width	2640 mm
Machine Length	7000 mm
Machine Height	2020 mm
Machine Weight	4900 kg
Door Width (min/max)	600 mm / 1000 mm
Door Length (min/max)	1800 mm / 2200 mm
Saw Motor	4 KW 3000 rpm
Scriber Motor	0,37 KW 3000 rpm
Router Motor	1,5 KW 12000 rpm
Length Sizing Saw	Ø300 X 3,2 X 30 Z:96
Width Sizing Saw	Ø300 X 3,2 X 30 Z:96
Circuit of Saw Sizing	5000 rpm
Scriber Saw	Ø125 X 3,1/4,3 X 20 Z24
Hob	Ø70 X 50 X 20 Z4
Air Pressure	6-8 BAR
Circuit of Pierce the Handle and Key	6500 rpm
Circuit of Router Key	9500 rpm
Bridge Moving Motor	SERVO MOTOR
Width Positioning Motor	SERVO MOTOR
Length Positioning Motor	SERVO MOTOR
Handle-Lock Positioning Motor	SERVO MOTOR

SPECIFICATIONS	SINGLE TABLE
Machine Width	2300 mm
Machine Length	5050 mm
Machine Height	1850 mm
Machine Weight	2750 kg
Door Width (min/max)	600 mm / 1000 mm
Door Length (min/max)	1800 mm / 2300 mm
Saw Spindle Motor	4 KW 6000 rpm
Router Motor	1,5 KW 12000 rpm
Length Sizing Saw	Ø300 X 3,2 X 30 Z:96
Width Sizing Saw	Ø300 X 3,2 X 30 Z:96
Milling Cutter	Ø70 X 50 X 20 Z4
Air Pressure	6-8 BAR
Door Handling Motor	0,75 KW SERVO MOTOR
Width Positioning Motor	1 KW SERVO MOTOR
Length Cut Driving Motor	2 KW SERVO MOTOR





SPECIFICATIONS	
Max Cutting Length	2600 mm
Min Cutting Length	650 mm
Max Cutting Height(90°)	90 mm
Min Cutting Height(45°)	60 mm
Max Cutting Width	320 mm
Cutting Unit Pieces	2 pcs
Saw Calibre	Ø400 mm
Hole Unit Drill Axis	32 mm X 7 pcs
Hole Unit Turn	3000 rpm
Cutting Motor Turn	3000 rpm
Hole Unit Motor Power	1.1 Kw (2 pcs)
Cutting Motor Power	2.2 Kw (2 pcs)
Voltage	380 V-50 Hz
Pressure	6 Bar
Machine Width	1350 mm
Machine Length	3250 mm
Machine Height	1550 mm
Machine Weight	1250 Kg

DoorPRESS

ELFAMAK
• AHŞAP İŞLEME MAKİNELERİ •

www.elfamak.com.tr





Proportional Force Applying




Aural and Flashing Warning




Lifting with Forklift and Crane



**Up-Down Limit Sensors (Proportional
Protect for Sensor Malfunctions)**



Loading with Forklift



**Homogen Pressure on Work Area
with Mechanism of Toothed Rack**



Strong Piston Design



Touchscreen

SPECIFICATIONS	
Table Size	1300X2500
Max Table Force	50 ton
Number Of Pistons	4X100 mm
Table Stroke	750 mm
Hydraulic Unit Motor	5.5 Kw
Machine Weight	4000 Kg
Machine Size	1650X3100X3250



SPECIFICATIONS	FRAME PRESS
Machine Width	920 mm
Machine Length	2230 mm
Machine Height	900 mm
Working Area	FRAME PRESS
Width	500 mm
Length	2100 mm
Press Capacity	700 Kg
Remote Control	Pneumatic Valves
Scales Leg	Can be set up
Press Width	Can be set up

SPECIFICATIONS	
Driving Speed	15 MT / m
Machine Width	2490 mm
Machine Length	4000 mm
Handling Width	2180 mm
Handling Length	3910 mm
Handling Capacity	250 kg



Solution partner for your Model and Mold works





Control Panel (Siemens)




Tool Magazine (8 pieces)



Automatic Tool Reset



Hand Wheel



Aluminium and Wood Engraving

SPECIFICATIONS	1010 SERIES	1020 SERIES	1520 SERIES	1530 SERIES
Net Working Area	1000x1000x600 mm	1000x2000x600 mm	1500x2000x600 mm	1500x3000x600 mm
Chassis Type	Square Iron Profile Chassis	Square Iron Profile Chassis	Square Iron Profile Chassis	Square Iron Profile Chassis
Body Type	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body
Spindle Motor	Hsd / Hiteco	Hsd / Hiteco	Hsd / Hiteco	Hsd / Hiteco
Spindle Power	12 Kw	12 Kw	12 Kw	12 Kw
Spindle RPM	24000 rpm	24000 rpm	24000 rpm	24000 rpm
Speed Control	12 Kw	12 Kw	12 Kw	12 Kw
Servo Motion Motors	Siemens	Siemens	Siemens	Siemens
Servo Drives	Siemens	Siemens	Siemens	Siemens / Mitsubishi
X,Y and Z Axis Mechanical Parts	Linear Rail, Ball Screw	Linear Rail, Ball Screw	Linear Rail, Ball Screw	Linear Rail, Ball Screw
CNC Control System	Siemens	Siemens	Siemens	Siemens
Table Type	T Type Table	T Type Table	T Type Table	T Type Table
Automatic Tool Changer	8 Pieces	8 Pieces	8 Pieces	8 Pieces
Programme Sensitivity	0.01 mm	0.01 mm	0.01 mm	0.01 mm
Panel	Professional Industrial Panel	Professional Industrial Panel	Professional Industrial Panel	Professional Industrial Panel
Tool Holder Type	HSK F63	HSK F63	HSK F63	HSK F63
Working Code System	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code
Safety System	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic
Electrical Hardware	CE Norms	CE Norms	CE Norms	CE Norms
Lubrication System	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication	Automatic Central Lubrication
Tool Changer System	Automatic	Automatic	Automatic	Automatic
Tool Measuring System	Automatic	Automatic	Automatic	Automatic
Radio Remote Control System	Optional	Optional	Optional	Optional






Control Panel (Delta / Lnc / PC)




Tool Magazine (4 pieces)



Aluminium Engraving



Hand Wheel



Wood Engraving

SPECIFICATIONS	4060 SERIES	5070 SERIES	6080 SERIES	80100 SERIES
Net Working Area	400x600x200 mm	500x700x200 mm	600x800x200 mm	800x1000x200 mm
Chassis Type	Square Iron Profile Chassis	Square Iron Profile Chassis	Square Iron Profile Chassis	Square Iron Profile Chassis
Body Type	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body	Acrylic Painted Iron Body
Spindle Motor	Hsd / Hiteco	Hsd / Hiteco	Hsd / Hiteco	Hsd / Hiteco
Spindle Power	5,5 Kw	5,5 Kw	5,5 Kw	5,5 Kw
Spindle RPM	24000 rpm	24000 rpm	24000 rpm	24000 rpm
Speed Control	5,5 Kw	5,5 Kw	5,5 Kw	5,5 Kw
Servo Motion Motors	Delta / Yaskawa	Delta / Yaskawa	Delta / Yaskawa	Delta / Yaskawa
Servo Drivers	Servo Drivers	Servo Drivers	Servo Drivers	Servo Drivers
X,Y and Z Axis Mechanical Parts	Linear Rail, Ball Screw	Linear Rail, Ball Screw	Linear Rail, Ball Screw	Linear Rail, Ball Screw
CNC Control System	Delta / Lnc / PC	Delta / Lnc / PC	Delta / Lnc / PC	Delta / Lnc / PC
Table Type	T Type Table	T Type Table	T Type Table	T Type Table
Automatic Tool Changer	4 Pieces	4 Pieces	4 Pieces	4 Pieces
Programme Sensitivity	0.01 mm	0.01 mm	0.01 mm	0.01 mm
Panel	Professional Industrial Panel	Professional Industrial Panel	Professional Industrial Panel	Professional Industrial Panel
Tool Holder Type	ISO 30	ISO 30	ISO 30	ISO 30
Working Code System	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code	Standard Iso G Code
Safety System	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic	Electronic Sensors, EMG, Mechanic
Electrical Hardware	CE Norms	CE Norms	CE Norms	CE Norms
Tool Changer System	Automatic	Automatic	Automatic	Automatic



ELFAMAK MAKİNA TEKNOLOJİLERİ VE ELEKTRONİK SAN. TİC. LTD. ŞTİ

Fevzi Çakmak Mah. Ankara Cad. No:10753 Sok. No:5-A Karatay / KONYA / TÜRKİYE

Tel:0332 **358 39 39** (pbx) • Fax:0332 358 39 40

info@elfamak.com.tr • www.elfamak.com.tr • www.elfasirketleri.com